



JIANGSU HUILIAN ACCESS FLOOR CO., LTD.

Access Floor Manufacturer

Steel cement raised floor

with HPL finish

Size: 600*600*35mm

Jiangsu Huilian Access Floor





Professional and Innovative
Access Floor Manufacturer



JIANGSU HUILIAN ACCESS FLOOR CO., LTD.

HONORS AND QUALIFICATIONS






DAWN- Another significant strategic brand of Jiangsu Huilian Access Floor Co., Ltd.

DAWN- It mainly focuses on innovation-driven design and excellent quality, providing floor decoration on modern office building, data center, purified clean room and industrial and civil construction with the most perfect solutions

DAWN- Give impetus to green, environmental protection, energy conservation and art; create secure, comfortable, joyful and elegant living and working environments for our customers by designing and manufacturing products elaborately.



Description on the Change of Company Name

For the development of our company, with the approval of Jiangsu Administration for Industry and Commerce, the former company name "Changzhou Huili Access Floor Co., Ltd." will be formally changed into "Jiangsu Huilian Access Floor Co., Ltd." on December 04, 2017. The change will remain on the license level and will not affect daily operations.

COMPANY PROFILE

Top Strength, High-speed Development

Jiangsu Huilian Access Floor Co., Ltd., as a high-tech manufacturing company in Jiangsu, is an expert-oriented professional access floor manufacturer. At present, it has established two large-scale modern manufacturing bases in Changzhou and Shandong. The annual production capacity of various access floors has exceeded 4 million square meters.

The Model of High-Quality Access Floor

The company insists on product quality and service over the years in strict accordance with ISO9001:2015 quality management system certification, ISO14001:2015 environment management system certification and OHSAS18001:2007 occupational health & safety management system



Changzhou Factory

certification standard. By right of stable and reliable quality and performance, its products have been qualified in tests and certifications at home and abroad.

Rich Variety and Multiple Specification

The company has already possessed mature and high-class products as well as perfect after-sales service system through the long-term, on-going and stable growth. We develop new ways for introducing the access floor for construction decoration, while working hard to make our various series of products (anti-static access floor, airflow floor and network floor) be bigger and stronger, thus fully covering and satisfying the application of different floor decoration.

Scientific and Technological Innovation boosts the take-off of the Company

The company always adheres to technological innovation, managerial scientification and industrial scale-development, developing new ways and pressing ahead with high quality access floors all the time!



Shandong Factory





MANUFACTURING FACILITY

Calcium Sulphate Panel Production Line



Die-cast Aluminum Panel Production Line



Steel Cementitious Panel Production Line





Beijing ZhongDaHuaYuan Certification Center

(B22 Fuchengmenwai Street, Western District, Beijing 100833, China)

Quality Management System Certification Certificate

No.02017Q32320R2M

Jiangsu Huilian Access Floor Co.,Ltd.

(Unified Code Of Social Credit:913204127140074230)

System scope assessed

Audit address:Changzhou wujin Henglin Weixing,Jiangsu,P.R.China

Registered address:Changzhou wujin Henglin Weixing,Jiangsu,P.R.China

Product / service scope:production of raised access floor and laminate

Quality management system is in conformity with

GB/T 19001-2016/ISO 9001:2015 *Quality management systems-Requirements*

Issuing date: 2017.10.24; Expiration date:2020.09.20

Initial issuing date:2012.12.13; Re-issuing date:2017.12.25

Note: The certification registration scope doesn't include those product / service scopes which fail to be covered by the relevant effective administration permission and qualification permission regulated by the state.

The certified organization must accept the surveillance audit on a regular basis and the certificate is considered to be effective only after the audit is qualified.

LIUJIANGYI, Director of ZDHY



中国认可
国际互认
管理体系
MANAGEMENT SYSTEM
CNAS C020-M



Note: The certificate information could be available in the website of Certification and Accreditation Administration of the People's Republic of China (www.cnca.gov.cn) and Beijing ZhongDaHuaYuan Certification Center (www.zdhy.net).



Beijing ZhongDaHuaYuan Certification Center

(B22 Fuchengmenwai Street, Western District, Beijing 100833, China)

Occupational Health and Safety Management System
Certification Certificate

No. 02017S20938R0M

Jiangsu Huilian Access Floor Co.,Ltd.

(Unified Code Of Social Credit:913204127140074230)

System scope assessed

The occupational health and safety management activities of production of raised access floor and laminate of Jiangsu Huilian Access Floor Co.,Ltd. . It is situated in Changzhou wujin Henglin Weixing,Jiangsu,P.R.China

Registered address:Changzhou wujin Henglin Weixing,Jiangsu,P.R.China

Occupational health and safety management system is in conformity with
GB/T 28001-2011/OHSAS 18001:2007 Occupational health and safety management
systems-Requirements

Issuing date:2017.10.24; Expiration date:2020.10.23

Re-issuing date:2017.12.25

Note: The certification registration scope doesn't include those product / service scopes which fail to be covered by the relevant effective administration permission and qualification permission regulated by the state.
The certified organization must accept the surveillance audit on a regular basis and the certificate is considered to be effective only after the audit is qualified.

LIUJIANGYI, Director of ZDHY



中国认可
管理体系
MANAGEMENT SYSTEM
CNAS C020-M



Note: The certificate information could be available in the website of Certification and Accreditation Administration of the People's Republic of China (www.cnca.gov.cn) and Beijing ZhongDaHuaYuan Certification Center (www.zdhy.net).



Beijing ZhongDaHuaYuan Certification Center

(B22 Fuchengmenwai Street, Western District, Beijing 100833, China)

Environmental Management System Certification Certificate

No. 02017E31072R2M

Jiangsu Huilian Access Floor Co.,Ltd.

(Unified Code Of Social Credit:913204127140074230)

System scope assessed

The environmental management activities of production of raised access floor and laminate of Jiangsu Huilian Access Floor Co.,Ltd. It is situated in Changzhou wujin Henglin Weixing,Jiangsu,P.R.China

Registered address:Changzhou wujin Henglin Weixing,Jiangsu,P.R.China

Environmental management system is in conformity with

GB/T 24001-2016/ISO 14001:2015 Environmental management systems-Requirements with guidance for use

Issuing date:2017.10.24; Expiration date:2020.09.20

Initial issuing date:2012.12.13 ;Re-issuing date:2017.12.25

Note: The certification registration scope doesn't include those product / service scopes which fail to be covered by the relevant effective administration permission and qualification permission regulated by the state.

The certified organization must accept the surveillance audit on a regular basis and the certificate is considered to be effective only after the audit is qualified.


LIUJIANGYI, Director of ZDHY



中国认可
国际互认
管理体系
MANAGEMENT SYSTEM
CNAS C020-M



Note: The certificate information could be available in the website of Certification and Accreditation Administration of the People's Republic of China (www.cca.gov.cn) and Beijing ZhongDaHuaYuan Certification Center (www.zdhy.net).



Steel cement raised floor
with HPL finish

Size: 600*600*35mm

Jiangsu Huilian Access Floor

 Dawn




STEEL PANEL WITH HPL FINISH


Size: 600*600*35mm

Introduction

The panel is made of high quality deep stretch coil steel sheet and SPCC steel sheet, which is punched, spot-welded, coated with epoxy powder after has been phosphorated. The panel is filled with foamed cement inside. After being kept for a period of time, it forms a stable support structure. The top sheet is stuck with anti-wear and antistatic HPL. And the panel is installed with stringer and pedestal.




Steel Panel With HPL Finish





Type 1:

Steel HPL panel with conductive PVC edge trim.



Type 2:

Panel with monolithic edge trim will provide a finish with no joints. This is recommended in high demanding data centers.




Type 3:

"F" edge trim is inserted in between the steel panel and the surface finish. The inserted "F" edge trim is very firm and stable. HPL panel with "F" edge trim creates perfect installation effect with tiny seam, which can be applied in high-grade computer room.



Type 4:


HPL panel with imprinted edge. Collecting both advantages of PVC trim and monolithic edge trim panel, it will be suitable for data center.



Type 5:

Cornerlock laminate panel is designed for seismic requirement. The system is more rigid because the panel is not only supported by stringer but also lock down to the pedestals. A tailor made round chip of the floor finish material will cover the panel cornerlock holes beautifully.

0.7/23




Installation

The main advantage of raised floor is the flexibility. The system can be installed to various finished floor height by diverse pedestal type. Raised floor can be adjusted to level by the pedestal even on a rough surface. And all the pedestal will be anti-corrosion coated.

The pedestal can either be glued or mechanical fixed to the subfloor.

Bolted stringer is recommended for anti-static steel raised floor. It shall benefit both the system stability and the loading performance.



panel installation structure

overall performance

STANDARD PEDESTAL



Standard pedestals
(base with $\Phi 22\text{mm}$ diameter or square tube)



Heavy duty pedestal
(Size: $\Phi 25$, $\Phi 28$, $\Phi 32$)



Steel Stringer
Size: $573 \times 21 \times 30/32\text{mm}$





Long Steel Stringer
Size: $1173 \times 21 \times 30/32\text{mm}$


STEPS AND RAMPS



Ramps



Step





Application

Protect your servers and data by using steel panel with anti-static HPL finish. It is suitable for a wide range of application from typical data/computer centers to telecommunication rooms, mission critical facilities, electronic assembly areas and other general purpose equipment rooms.

Features

- ◆ All steel components, high mechanical feature, high loading capacity, fire-proof
- ◆ Light weight for ease of floor.
- ◆ Surface with anti-static painting, soft light, anti-wear, anti-corrosion
- ◆ Dimensional accuracy allows free interchangeability

Specifications

With reference to National Standards and US CISCA test Standards




Type	Size (mm)	Concentrated Load		Rolling load	Ultimated load	Uniform Load	Fire protection performance	System resistance
		N	KG	N	N	N/M ²		
FS700	600x600x35	≥ 2950	≥ 300	≥ 2255	≥ 8850	≥ 12500	Non-combustible Material	Anti-static floor system resistance 10 ⁶ –10 ¹⁰ Ω
FS800	600x600x35	≥ 3550	≥ 363	≥ 2950	≥ 10650	≥ 16500		
FS1000	600x600x35	≥ 4450	≥ 454	≥ 3560	≥ 13350	≥ 23000		
FS1250	600x600x35	≥ 5560	≥ 567	≥ 4450	≥ 16680	≥ 33000		
FS1500	600x600x35	≥ 6665	≥ 680	≥ 5560	≥ 19995	≥ 39324		
FS2000	600x600x35	≥ 8908	≥ 909	≥ 7790	≥ 26724	≥ 52557		

Steel cement raised floor (FS700)

Specifications

With reference to national and us cisca test standards

type	size mm	concentrated load n kg	Rolling load n	Ultimated load n	Uniform load n/sq m	nre protection performance	system resistance
700	600×600×35	>2950	>300	>2255	>8850	>12500	Non-combustible material Anti-static floor system resistance $10^6 - 10^{10}$

DATA SHEET


NOTE: Data sheet drawing and information are subject to change without prior notice.

PHYSICAL DATA

- Weight of bare panel - 35.5kg/m² Bare
- Height of bare panel - 33mm
- Fire rating of bare panel:
Class A Flame Spread
Non-Combustible
Materials

PERFORMANCE DATA

- Concentrated Load rating - 700 lbf (3119 N)
- Uniform Load rating - 278 psf (1,203 kg/M²)
- Ultimate Load rating - 1400 lb (6238N)
Safety Factor - Min.2
- Impact Load rating - 125 lb. (57 kg)
- Rolling Load Rating:
OSCA Wheel A (10 Pass) - 500 lbf (2228 N)
OSCA Wheel B (10K Pass) - 300 lbf (1337 N)

FINISH OPTIONS

Tile factory laminated

☐ 1.2mm HPL

Pattern ☐ with edge trim ☐ imprinted edge ☐ integral trim

☐ 1.5mm HPL

Pattern ☐ with edge trim ☐ imprinted edge ☐ integral trim

☐ 3.0mm HPL

Pattern ☐ with edge trim ☐ imprinted edge ☐ integral trim

For additional laminate options contact export sales

Bare Painted Panel Options

☐ Carpet ☐ Granite ☐ Marble ☐ Ceramic ☐ Rubber

☐ Hardwood ☐ Linoleum ☐ Vinyl ☐ HPL ☐ Bare Finish


UNDERSTRUCTURE OPTIONS

- Free standing - stringerless
- Corner-Lock
- Rigid Grid bolted stringers:
600 x 600mm system
600 x 1200mm system
1200 x 1200mm Basketweave system

FEATURES

- Available in 24\" or 600mm size
- Powder coat epoxy paint finish
- Welded steel construction
- Full-hard steel top sheet
- Full-strength, deep drawn corners
- Light weight cementitious fill with fiberglass
- Recycled material content = 44.6%

VER: 15112017



LEGEND

1. Raised Access Floor Panel
2. Corner Lock Screw
3. Square Pedestal Head
4. Threaded Stud or Tube
5. Zinc Coated Nut
6. Round Tube
7. Resistance Weld
8. Square Pedestal Base

PEDESTAL SPECIFICATIONS

Pedestal Assembly


- Assembly from 130mm to 2000mm FFH shall provide a 2250 kg(5000lbs) axial load without permanent deformation
- Assembly shall provide ± 25 mm total adjustment with a minimum finished floor height of 150mm

Pedestal Head



- 75x75x3.0mm or 82x82x4.0mm pedestal head with Zinc coated surface treatment
- Flat pedestal head shall have screw holes for engagement of corner lock screws and shall incorporate locating points to laterally contain.
- Cornerlock fastner shall be M6x45mm flat head machine screws
- Threaded stud or hollow tube can be M18 or M20
- Zinc coated nut can be M18 or M20

Pedestal Base

- Base to be at least 90cm² and zinc coated steel
- Round steel tube shall be 22.3x1.5mm(T) and projection welded to base plate



Steel panel to be installed with bolted Stringer System



SOLE AGENCY DISTRIBUTION AGREEMENT

This agreement is effective as of the 1st January, 2019 and covers the supply of Jiangsu Huilian Access Floor Co., Ltd having its address at

No.4 Wuqing road, Weixing
industry park, Henglin
town, Wujin district,
Changzhou City, Jiangsu
Province, China.
Tel. 0086 519 85559581
Fax. 0086 519 88509003
P. R. of China 213103

(Hereinafter called the "SUPPLIER") Represented by Mr. Ethan Huang, Director of Sales.

AND

Professional for Trading & Contracting (ProTC)
Street No.81, Building No.7230,
Elmokattam, - Cairo-
Egypt
Tel. 00201015991163

(Hereinafter called the "DISTRIBUTOR."), represented by: Mr. Hussein Ismail Abdo Mohamed- General Manager

1. The Agent:

The DISTRIBUTOR is hereby appointed as sole agent for the products specified under Clause 3 of this agreement.

2. Territory:

The DISTRIBUTOR is the sole Agent for the territory of Egypt, for the products listed below in clause 3.

3. Products:

The whole range of Access Floors is covered under this agreement. Exclude any specified products manufacturing for international brands.

4. Duration:

- This agreement will take effect on the 1st of January 2019 and will remain in force for a period of 3 years from the starting date. Thereafter the performance of the DISTRIBUTOR and the trading partnership would be jointly reviewed. The agreement will be automatically renewed for a new 3 calendar years if it is in the mutual interest of both parties to continue the trading partnership. For major reasons and by mutual agreement, either party in giving to the other a six months notice period can terminate this agreement.
- In the event of gross violation of the principles of this agreement, termination will be immediate and without recourse.

5. The SUPPLIER's Undertakings

- Provide Business development support to the DISTRIBUTOR in terms of promoting Dawn Modular Floor products.
- To provide the DISTRIBUTOR with all Information, Technical Data manuals and product literature.
- Supply Products to the DISTRIBUTOR at the SUPPLIER's Export List Price on agreed discount structure. Price list shall be valid for 6 months. Special prices for special projects shall be discussed and agreed between the two parties on case-by-case basis. In case of raw materials prices increase or decrease two months notes shall be given.
- Provide cover to the DISTRIBUTOR for a period of 24 months warranty period from the date of despatch on Dawn Modular Floor Products against manufacturing defects. Extended warranty can be discussed and agreed upon for special projects.
- In coordination with the DISTRIBUTOR, the Principal will agree on an annual Marketing / Sales plan and a stock profile to support the same.
- It is expressly specified and agreed between the two parties that the SUPPLIER will not practice any kind of direct sales to customers within the territory specified in article-2. All inquiries which might be received by the SUPPLIER should be forwarded to the DISTRIBUTOR via a specific sales follow-up form, filled by the DISTRIBUTOR and returned to the SUPPLIER explaining briefly the action taken. The SUPPLIER's engineers visiting Egypt will provide the DISTRIBUTOR with all sales and marketing leads and extend any assistance the DISTRIBUTOR may need at DISTRIBUTOR's cost.
- The SUPPLIER will recognize that the DISTRIBUTOR as the preferred route to market within the territory specified in article-2, any enquiries and sales and

marketing leads received on a direct basis by the SUPPLIER will be referred to the DISTRIBUTOR via a specific sales follow-up form and extend any assistance to the DISTRIBUTOR. In instances where the client may also operate as the principal contractor the SUPPLIER will use best endeavors to ensure that the best interests of the DISTRIBUTOR are upheld at all times.

- The SUPPLIER will not enter into any commercial agreement with any party within the territory specified in article-2 for the purpose of promoting and/or selling any of the products listed in clause 3. It is clearly understood that the SUPPLIER cannot appoint any other distributor or sub-distributor within the territory specified in article-2 beside the DISTRIBUTOR to promote or sell any of the products listed in clause 3.
- The SUPPLIER will keep the DISTRIBUTOR informed with regard to New Product Launches and Advertising campaigns.
- The SUPPLIER shall provide all product training deemed reasonable and necessary, for the DISTRIBUTOR sales and technical team. Travel expenses will be on the DISTRIBUTOR's account.
- The SUPPLIER shall provide all relevant technical support to the DISTRIBUTOR to insure a smooth operation and performance towards the DISTRIBUTOR's commitments. This shall include the readiness of the SUPPLIER to send appropriate personnel to assist (if necessary) the DISTRIBUTOR's engineers in commissioning the first group of projects.
- Performance reviews, progress towards targets etc will be conducted quarterly by the SUPPLIER in coordination with the DISTRIBUTOR. This review will ensure full identification of known contracts and opportunities, performance against agreed targets and forecasting of future sales demand.
- The SUPPLIER agrees to confirm the delivery periods specified (As ex-works) based upon the receipt of an order this does not include the transport and the clearance times. Except as mentioned above, delays beyond dates specified in order acknowledgements are the SUPPLIERS responsibility. The SUPPLIER will provide updates on lead times for core range and products stocked by the DISTRIBUTOR as and when these lead times vary.
- The SUPPLIER shall ensure that all products shipped to the DISTRIBUTOR shall be in accordance with the agreed standards, the attached specification defines the details of these requirements.

6. The DISTRIBUTOR'S Undertakings:

- The DISTRIBUTOR agrees that he will hold in stock a comprehensive range of product. The exact composition of the stock profile to be agreed with the

SUPPLIER's Sales Manager. This stock shall be built-up during the first 6 months of cooperation and based on the projects needs and demand, as may be recommended by the SUPPLIER. This range agreement will form an addendum to this agreement and will be reviewed regularly.

- The DISTRIBUTOR shall not sell, distribute or promote the sale of any other Chinese products competitive with or similar to the above mentioned materials or the products listed in clause 3.
- The DISTRIBUTOR will not operate outside the agreed territory without the written consent of the SUPPLIER's.
- The DISTRIBUTOR will use his best endeavors to promote the sales of Dawn Modular Floor Products throughout its territory.
- The DISTRIBUTOR has the right to appoint Sub-Distributors within the territory specified in article-2 above, to ensure the wide availability of the products; any such appointments will be with the full knowledge and agreement of the SUPPLIER.
- The DISTRIBUTOR will bring to the attention of the SUPPLIER any issues relating to the Market, which may assist the SUPPLIER in formulating its future strategy or meeting the competition.
- The DISTRIBUTOR will keep the SUPPLIER informed of any developments within its own organization that may positively or negatively affect his future performance. The DISTRIBUTOR will nominate a Product Champion within its organization who will act as the primary point of contact for the SUPPLIER.
- The DISTRIBUTOR will provide an annual forecast of requirements. This will assist the SUPPLIER in calculating the required production capacity.
- The DISTRIBUTOR undertake to fully pay all invoices on due dates.

7. Trading Terms

7-1. Payment Terms:

Payment terms to be agreed by both parties.

7-2. Confidentiality

All transactions between the two parties covering pricing or of a confidential nature shall be treated as such by the two parties concerned.

8. Final Dispositions

- The parties agree to choose the English language as the language of this agreement. The English text of this contract attests that it is the original one.
- The invalidity or non-enforcement of any term shall in no way affect the validity or enforcement of the remaining terms.
- All modifications and amendments to this agreement must be written and signed by both parties.

9. Governing Laws.

- The agreement will initially be governed by the laws of China. However any dispute arising out of the execution of this agreement which cannot be settled to the mutual agreement of both parties shall be finally resolved in accordance with the principles of law generally recognized in International Trade as applicable to distribution agreements.
- Any notice required to be given by either party within the bounds of this agreement shall be delivered or sent to the other party at the address set out at the beginning of this agreement or such other address as the parties shall deem necessary from time to time in writing.
- Any change in the conditions at this contract, the Egypt Embassy in China shall be informed.
- The two parties and each party kept an original copy for implementation signed this agreement.

The DISTRIBUTOR

By : Professional for Trading & Contracting (ProTC)
Name : Hussein Ismail Abdo Mohamed
Title : General Manager
Date : 28th December 2018



Hussein

Company stamp

AND

The SUPPLIER

BY : Jiangsu Huilian Access Floor Co., Ltd
Name : Ethan Huang
Title : Director of Sales
Date : 28th December 2018



Ethan Huang
Company stamp

Date: Feb.16,2018

Subject: Axial Load Tests using "STF1022" Pedestal Head & Base for a 600mm FFH

Method: CISCA 2007 Recommended Test Procedures For Access Floor, Pedestal Axial Load Test

Scope:

On Feb 16,2018. Huili Testing Lab performed tests on pedestals to determine the pedestal axial load rating. The tests were performed in accordance with the above mentioned standard procedures. The pedestals were identified as 95x95x2.0mm Base having a vertical steel tube of 22.3mm diameter x 1.5mm wall thickness, assembled to a 75x75x3.0mm flat head plate welded with M18.3mm threaded stud.

Test Procedure:

Each STF1022 pedestal to be tested was aligned vertically in the test fixture. A load equal to the manufacturer's published axial load was applied to the test specimen. The imposed load was held for two minutes and then relaxed, the specimen was visually inspected for damage. The specimen was then loaded until failure. Three specimens of each pedestal type were selected at random for test program.

Test Results:

STF1022 Pedestal, Specimen #1		STF1022 Pedestal, Specimen #2		STF1022 Pedestal, Specimen #3	
Load(kgs)	Observation	Load(kgs)	Observation	Load(kgs)	Observation
2500	Not Broken	2500	Not Broken	2500	Not Broken
2600	Not Broken	2600	Not Broken	2600	Not Broken
2700	Not Broken	2700	Not Broken	2700	Not Broken
2800	Not Broken	2800	Not Broken	2800	Not Broken
2900	Not Broken	2900	Not Broken	2900	Not Broken
3007.231	Break Point	3012.873	Break Point	3032.729	Break Point

Conclusion:

The average pedestal axial load rating for the STF1022 at 600mm FFH was 3017.611 kg(s)

Signed by Huili Testing Laboratory


Laboratory Manager



DAWN MODULAR FLOOR SYSTEM WARRANTY

1. Dawn Modular Floor System warrants the Access Flooring System for 10 years against system failure to meet published specifications from the date indicated on Bill of lading for every single shipment. Said warranty is against latent defects in design or workmanship under normal working conditions, as directed by Dawn Modular Floor specifications in effect at the time of installation, and the use of said materials and excluding Acts of Nature and provided that:
 - a. The product have not been subjected to accident, misuse, abuse, neglect, deterioration by chemical action or damage during shipment not have been used for purpose other than for which they were designed.
 - b. Buyer within thirty (30) days after discovery of defect, provides Dawn Modular Floor system with a reasonably precise written statement of the nature of the Buyer's claim.
 - c. Buyer preserves such defective product for Dawn Modular Floor system inspection.
 - d. Buyer has neither altered nor tempered to repair any such defective product.
 - e. Such defective product was installed in accordance with Dawn Modular Floor system standard installation instruction and under proper interior environmental conditions of enclosed structure or building.
2. Dawn Modular Floor system shall replace or repair FOB factory, any product subject to Buyer's claim properly brought under the above Paragraph.
3. Products not manufactured by Dawn Modular Floor System are warranted by Dawn Modular Floor System only to the extent that the original manufacturer therefore shall provide Remedy under such manufacturers warranty such products.
4. This warranty ceases to be any force or effect in the event "The Product" (whether in whole or part) is removed and/or re-installed of the support structure of "The Product" is tampered with by person(s) not authorized by Dawn Modular Floor System or, if adjustments are made, or components are used, which are not approved by Dawn Modular Floor systems, such action will null and avoid this warranty.
5. This warranty is made in lieu of all warranties expressed or implied and is made in lieu of all other obligations or liabilities on the part of Dawn Modular Floor system of any nature whatsoever.

6. The foregoing warranty shall be Buyer's sole remedy and Dawn Modular Floor System's sole liability under contract or otherwise for products. In no event will Dawn Modular Floor System be liable for any loss of profits or other consequential damages.

Remarks:

Hereby, we warranted all the Dawn Modular Floor products we sold to **our sole agent Professional For Trading & Contracting (ProTC) in Egypt.**

Signed for and on behalf of Dawn Modular Floor



Date : December 28, 2018

